Clin. Lab. Haem.
2004, **26**, 435–441

Author Index to Volume 26

Adelstein, D.J. *see* Latif, T.
Adil, S.N. *see* Knox-Macaulay, H.H.M.
Adjetey, V. *see* Murrin, R.J.A.
Ahmad, M.S. *see* Bashawri, L.A.M.
Ahmed, E.M.E. *see* Knox-Macaulay, H.H.M.
Aitken, C. *see* Leaver, S.
Aksu, S. *see* Sayınalp, N.
Alegakis, A. *see* Passam, F.H.
Alexandrakis, M.G. *see* Passam, F.H.
Alhaq, A. *see* McCormick, Á.N.
Ali, E.M. *see* Ismet, A.
Ali, S. *see* Bain, B.J.
Almawi, W.Y. *see* Bashawri, L.A.M.
Almeida, A. *see* Daniel, Y.
Al-Mufti, R., Hambley, H., Farzaneh, F. & Nicolaides, K.H. Assessment of efficacy of cell separation techniques used in the enrichment of foetal erythroblasts from maternal blood: triple density gradient *vs.* single density gradient, 123
Amlot, P. *see* Leaver, S.
Amorosi, E. *see* Liu, C.Z.
Amoyal, I. & Fibach, E. Flow cytometric analysis of fetal hemoglobin in erythroid precursors of β-thalassemia, 187
Andrès, E. *see* Zimmer, J.
Andrews, V. *see* Bain, B.J.
Angel, C. *see* Charles, K.S.
Antoci, L.T. *see* Musteata, V.Gh.
Antunes, M.B. *see* Costa, E.
Asaka, M. *see* Tsutsumi, Y.
Aulia, D. *see* Timan, I.S.
Ayala, R. *see* Martínez-López, J.
Ayukarn, K. *see* Chunpanich, S.

Bain, B.J. Bone marrow biopsy morbidity and mortality: 2002 data, 315
Bain, B.J., Goldman, J.M., Lucie, N.P., Brito-Babapulle, F., Bhavnani, M., Kubie, A., Jan-Mohamed, R., Pocock, M. & Layton, M. Report on slide session, British Society for Haematology, 43rd Annual Scientific Meeting, Glasgow, 2004, 87
Bain, B.J., Thomas, A., Clough, V., Ali, S., Andrews, V., Layton, M., Wong, C., Tawil, A. & Hiwaizi, F. Report on Slide Session, British Society for Haematology, 44th Annual Scientific Meeting, Cardiff, 2004, 309
Banfi, G., Dolci, A., Schönhuber, H. & Costantino, B. Values of the parameter immature reticulocyte fraction in elite athletes, 241
Banfi, G., Roi, G.S., Dolci, A. & Susta, D. Behaviour of haematological parameters in athletes performing marathons and ultramarathons in altitude ('skyrunners'), 373
Barbot, J. *see* Branca, R.
Barbot, J. *see* Costa, E.
Barnett, D. *see* van Veen, J.J.
Bashawri, L.A.M., Fawaz, N.A., Ahmad, M.S., Qadi, A.A. & Almawi, W.Y. Prevalence of seromarkers of HBV and HCV among blood donors in eastern Saudi Arabia, 1998–2001, 225
Bautista, J.M. *see* Martínez-López, J.
Bayoumi, R. *see* Pathare, A.
Belaouni, H. *see* Fourcade, C.
Belushi, T.A. *see* Pathare, A.
Bereznicki, L.R. *see* Jackson, S.L.
Besson, I. *see* Latger-Cannard, V.
Beyan, C. *see* Güran, Ş.
Bhandari, S. *see* Osborne, W.
Bhavnani, M. *see* Bain, B.J.
Blasco, I. *see* Solves, P.
Blicklé, J.-F. *see* Zimmer, J.
Borowitz, M.J. *see* Kickler, T.S.
Boula, A. *see* Passam, F.H.
Branca, R., Costa, E., Rocha, S., Coelho, H., Quintanilha, A., Cabeda, J.M., Santos-Silva, A. & Barbot, J. Coexistence of congenital red cell pyruvate kinase and band 3 deficiency, 297
Branca, R. *see* Costa, E.
Brandelise, S., Pinheiro, V., Gabetta, C.S., Hambleton, I., Serjeant, B. & Serjeant, G. Newborn screening for sickle cell disease in Brazil: the Campinas experience, 15
Briggs, C., Kunka, S. & Machin, S.J. The most accurate platelet count on the Sysmex XE-2100. Optical or impedance?, 157
Brito-Babapulle, F. *see* Bain, B.J.
Büyükaşık, Y. *see* Sayınalp, N.

Cabeda, J.M. *see* Branca, R.
Callat, M.P. *see* Igout, J.
Callat, M.P. *see* Lesesve, J.-F.
Candela, M.J. *see* Pérez-Ceballos, E.
Carbonell-Uberos, F. *see* Solves, P.
Carr, R. *see* Moore, G.W.
Casbas, M.J.C. *see* Fourcade, C.
Cavenagh, J.D. *see* Leaver, S.
Cavill, I. Automated haemoglobinopathy screening, 305

© 2004 Blackwell Publishing Ltd

Challis, R. *see* Janes, S.
Chang, Y.W. *see* Hur, M.
Charintranont, N. *see* Kickler, T.S.
Charles, K.S., Winfield, D.A., Angel, C. & Goepel, J. Audit of bone marrow aspirates and trephine biopsies in multiple myeloma – a single centre study, 403
Cho, H.C. *see* Hur, M.
Cho, H.I. *see* Hur, M.
Chunpanich, S., Ayukarn, K., Sanchaisuriya, K., Fucharoen, G. & Fucharoen, S. Laboratory diagnosis of a compound heterozygosity for Hb Hekinan [α27(B8) Glu-Asp] and a deletional α-thalassaemia 2 in Thailand, 355
Çınar, H. *see* Sayınalp, N.
Clark, B.E. & Thein, S.L. Molecular diagnosis of haemoglobin disorders, 159
Clausen, N.T. *see* Penninga, E.
Clough, V. *see* Bain, B.J.
Cobcroft, R. *see* Tey, S.-K.
Coelho, H. *see* Branca, R.
Colah, R. *see* Nadkarni, A.
Consolas, I. *see* Passam, F.H.
Corcimaru, I.T. *see* Musteata, V.Gh.
Corral, J. *see* Pérez-Ceballos, E.
Corrêa, M.F.B. & Rezende, S.M. A very rapid multiplex polymerase chain reaction for simultaneous detection of factor V Leiden and G20210A prothrombin mutation, 239
Costa, E., Antunes, M.B., Faria, S., Vieira, E., Branca, R., Barbot, J. & Dos Santos, R. Determination of neutrophil Fcγ-receptor IIIb antigens (HNA-1a, HNA-1b and HNA-1c) by fluorescence-primed allele-specific polymerase chain reaction, 319
Costa, E. *see* Branca, R.
Costantino, B. *see* Banfi, G.
Cui, W., Fan, Y., Yang, M. & Zhang, Z. Expression of CD59 on lymphocyte and the subsets and its potential clinical application for paroxysmal nocturnal hemoglobinuria diagnosis, 95

Daliphard, S. *see* Lesesve, J.-F.
Dan, K. *see* Watanabe, A.
Daniel, Y., Witchlow, B. & Almeida, A. Automated computer result reporting for haemoglobinopathy screening, 21
Daniel, Y. Reply to Cavill, 307
Davies, D.A. *see* Giddings, J.C.
Davies, F.E. *see* Rees-Unwin, K.S.
Davies, G. *see* McCaddon, A.
Dennison, D. *see* Pathare, A.
Doco-Lecompte, T. *see* Latger-Cannard, V.
Dolci, A. *see* Banfi, G.
Dos Santos, R. *see* Costa, E.
Drucker, L. *see* Kimhi, O.
Duggan, J.C. *see* Ho, W.K.
Duguid, J. *see* McCaddon, A.
Dündar, S.V. *see* Sayınalp, N.

Ehira, N. *see* Tsutsumi, Y.
Emin, K. *see* Ismet, A.
Ervasti, M., Kotisaari, S., Romppanen, J. & Punnonen, K. In patients who have stainable iron in the bone marrow an elevated plasma transferrin receptor value may reflect functional iron deficiency, 205
Evely, R.S. *see* Lock, R.J.

Fabijańska-Mitek, J. *see* Słomkowski, M.
Fan, Y. *see* Cui, W.
Faria, S. *see* Costa, E.
Farzaneh, F. *see* Al-Mufti, R.
Favaloro, E.J., Zafer, M., Nair, S.C., Hertzberg, M. & North, K. Evaluation of primary haemostasis in people with neurofibromatosis type 1, 341
Fawaz, N.A. *see* Bashawri, L.A.M.
Fay, M. & Murphy, P.T. Sedation with intravenous midazolam and intravenous opiate is superior to intravenous midazolam alone for bone marrow biopsy procedures, 365
Fibach, E. *see* Amoyal, I.
Fisher, F. *see* Janes, S.
Fourcade, C., Casbas, M.J.C., Belaouni, H., Gonzalez, J.J.D., Garcia, P.J.J. & Pepio, M.A.E. Automated detection of malaria by means of the haematology analyser Coulter® GEN.S™, 367
Fragou, A. *see* Passam, F.H.
Franklin, I.M. *see* Osborne, W.
Fretigny, M. *see* Igout, J.
Fucharoen, G. *see* Chunpanich, S.
Fucharoen, S. *see* Chunpanich, S.
Fukuda, T. *see* Kamezaki, K.

Gabetta, C.S. *see* Brandelise, S.
Garcia, P.J.J. *see* Fourcade, C.
Gelle, M. *see* Igout, J.
Ghosh, K. Management of haemophilia and its complications in developing countries, 243
Giannoutsos, I., Grech, H., Maboreke, T. & Morgenstern, G. Performing bone marrow biopsies with or without sedation: a comparison, 201
Giddings, J.C., Morris, R.J., Ralis, H.M., Jennings, G.M., Davies, D.A. & Woodcock, J.P. Systemic haemostasis after intermittent pneumatic compression. Clues for the

investigation of DVT prophylaxis and travellers thrombosis, 269
Gill, D. *see* Tey, S.-K.
Goepel, J. *see* Charles, K.S.
Göker, H. *see* Sayınalp, N.
Goldenberg, A. *see* Liu, C.Z.
Goldman, J.M. *see* Bain, B.J.
Gonzalez, J.J.D. *see* Fourcade, C.
Goodfellow, K. *see* van Veen, J.J.
Gorakshakar, A. *see* Nadkarni, A.
Górski, T. *see* Sikorska, A.
Granger, V. *see* van Veen, J.J.
Gray, R. *see* McCaddon, A.
Grech, H. *see* Giannoutsos, I.
Grimmett, K. *see* Tey, S.-K.
Grotto, H.Z.W. & Noronha, J.F.A. Platelet larger cell ratio (P-LCR) in patients with dyslipidemia, 347
Guerrero, J.A. *see* Pérez-Ceballos, E.
Güran, Ş. & Beyan, C. Overexpression of $p16^{INK4A}$ and $p14^{ARF}$ in haematological malignancies (Lee *et al.*, 2004), 303
Gurney, D.A. *see* Moore, G.W.

Hambleton, I. *see* Brandelise, S.
Hambley, H. *see* Al-Mufti, R.
Hansen, P.B. *see* Penninga, E.
Harada, M. *see* Kamezaki, K.
Harrison, P. *see* Murrin, R.J.A.
Hasselbalch, H.C. *see* Penninga, E.
Haznedaroğlu, I.C. *see* Sayınalp, N.
Hertzberg, M. *see* Favaloro, E.J.
Hill, D. *see* McCaddon, A.
Hiwaizi, F. *see* Bain, B.J.
Ho, W.K., Martinelli, A. & Duggan, J.C. Severe immune haemolysis after standard doses of Penicillin, 153
Hoedemakers, R.M.J. *see* Hoffmann, J.J.M.L.
Hoffmann, J.J.M.L. & Hoedemakers, R.M.J. Diagnostic performance of the variant lymphocyte flag of the Abbott Cell-Dyn 4000 haematology analyser, 9
Holyoake, T.L. *see* Osborne, W.L.
Hsi, E.D. *see* Latif, T.
Hudson, P. *see* McCaddon, A.
Hur, M., Lee, K.M., Cho, H.C., Park, Y.I., Kim, S.H., Chang, Y.W., Kim, Y.R. & Cho, H.I. Protein 4.1 deficiency and deletion of chromosome 20q are associated with acquired elliptocytosis in myelodysplastic syndrome, 69
Hur, M., Lee, Y.K., Lee, K.M., Kim, H.J. & Cho, H.I. Pseudobasophilia as an erroneous white blood cell differential count with a discrepancy between automated cell counters: report of two cases, 287

Iacovleva, I.A. *see* Musteata, V.Gh.
Ibrahim, S. *see* Liu, C.Z.
Igout, J., Fretigny, M., Vasse, M., Callat, M.P., Silva, M., Willemont, L., Gelle, M. & Lenormand, B. Evaluation of the Coulter LH 750 haematology analyzer compared with flow cytometry as the reference method for WBC, platelet and nucleated RBC count, 1
Imamura, M. *see* Tsutsumi, Y.
Inghirami, G. *see* Liu, C.Z.
Inokuchi, K. *see* Watanabe, A.
Irfan, K. *see* Ismet, A.
Ismet, A., Irfan, K., Emin, K., Ali, E.M., Ramazan, U., Mustafa, B. & Onur, O. Splenectomy results in patients with idiopathic thrombocytopenic purpura: 10 years of experience in Turgut Ozal Medical Center, 211
Itälä, M. & Remes, K. Excellent response of refractory life-threatening thrombotic thrombocytopenic purpura to cyclosporine treatment, 65

Jackson, S.L., Bereznicki, L.R., Peterson, G.M., Marsden, K.A., Jupe, D.M.L., Tegg, E., Vial, J.H. & Kimber, R.I. Accuracy, reproducibility and clinical utility of the CoaguChek S portable international normalized ratio monitor in an outpatient anticoagulation clinic, 49
Janes, S., Challis, R. & Fisher, F. Safe introduction of warfarin for thrombotic prophylaxis in atrial fibrillation requiring only a weekly INR, 43
Janes, S. *see* Wilkins, R.
Jan-Mohamed, R. *see* Bain, B.J.
Jennings, G.M. *see* Giddings, J.C.
Jensen, B.A. *see* Penninga, E.
Jupe, D.M.L. *see* Jackson, S.L.

Kakkar, A.K. *see* Patel, H.B.
Kamat, A.V. *see* Moore, G.W.
Kamezaki, K., Fukuda, T., Makino, S. & Harada, M. Evans' syndrome following autologous peripheral blood stem cell transplantation for non-Hodgkin's lymphoma, 291
Kanamori, H. *see* Tsutsumi, Y.
Karakuş, S. *see* Sayınalp, N.
Kawamura, T. *see* Tsutsumi, Y.
Kickler, T.S., Borowitz, M.J., Thompson, R.E., Charintranont, N. & Law, R. Ret-Y a measure of reticulocyte size: a sensitive indicator of iron deficiency anemia, 423
Kim, H.J. *see* Hur, M.
Kim, S.H. *see* Hur, M.
Kim, Y.R. *see* Hur, M.
Kimber, R.I. *see* Jackson, S.L.
Kimhi, O., Drucker, L., Neumann, A., Shapiro, H., Shapira, J., Yarkoni, S., Lahav, M., Radnay, J. & Lishner, M.

Fluorouracil induces apoptosis and surface molecule modulation of peripheral blood leukocytes. 327
Kindi, S.A. *see* Pathare, A.
Kirazlı, Ş. *see* Sayınalp, N.
Kitchen, C. *see* Lock, R.J.
Kiyama, R. *see* Nadkarni, A.
Knox-Macaulay, H.H.M., Adil, S.N. & Ahmed, E.M.E. Acute thrombotic thrombocytopenic purpura following doxycycline treatment of *Chlamydia pneumoniae* infection in a patient with dermatomyositis. 147
Koizumi, T. *see* Takenokuchi, M.
Kondo, S. *see* Takenokuchi, M.
Konopka, L. *see* Sikorska, A.
Kopeć-Szlęzak, J. *see* Słomkowski, M.
Kotisaari, S. *see* Ervasti, M.
Koumarianou, A. *see* Zimmer, J.
Kubie, A. *see* Bain, B.J.
Kumagai, S. *see* Takenokuchi, M.
Kunka, S. *see* Briggs, C.
Kyriakou, D.S. *see* Passam, F.H.

Lahav, M. *see* Kimhi, O.
Lahuerta, J.J. *see* Martínez-López, J.
Latger-Cannard, V., Besson, I., Doco-Lecompte, T. & Lecompte, T. A standardized procedure for quantitation of CD11b on polymorphonuclear neutrophil by flow cytometry: potential application in infectious diseases. 177
Latif, T., Hsi, E.D., Rybicki, L.A. & Adelstein, D.J. Is there a role for folate determinations in current clinical practice in the USA?. 379
Law, R. *see* Kickler, T.S.
Layton, M. *see* Bain, B.J.
Leach, M.E. *see* McCormick, Á.N.
Leaver, S., Amlot, P., Thuraisingham, R., Norton, A., Aitken, C. & Cavenagh, J.D. Subacute immune response to primary EBV infection leading to post-transplant lymphoproliferative disease in a renal transplant patient. 351
Lecompte, T. *see* Latger-Cannard, V.
Lee, K.M. *see* Hur, M.
Lee, Y.K. *see* Hur, M.
Lenormand, B. *see* Igout, J.
Lenormand, B. *see* Lesesve, J.-F.
Lesesve, J.-F., Daliphard, S., Callat, M.P. & Lenormand, B. Increase of immature reticulocyte fraction in myelodysplastic syndromes. 301
Levin, M. *see* Metz, J.
Lishner, M. *see* Kimhi, O.
Liu, C.Z., Persad, R., Inghirami, G., Sen, F., Amorosi, E., Goldenberg, A. & Ibrahim, S. Transient atypical monocytosis mimic acute myelomonocytic leukemia in post-chemotherapy patients receiving G-CSF: report of two cases. 359
Lock, R.J., Virgo, P.F., Kitchen, C. & Evely, R.S. Rapid diagnosis and characterization of acute promyelocytic leukaemia in routine laboratory practice. 101
Lozano, M.L. *see* Pérez-Ceballos, E.
Lucie, N.P. *see* Bain, B.J.

Maboreke, T. *see* Giannoutsos, I.
McCaddon, A., Tandy, S., Hudson, P., Gray, R., Davies, G., Hill, D. & Duguid, J. Absence of macrocytic anaemia in Alzheimer's disease. 259
McCormick, Á.N., Leach, M.E., Savidge, G. & Alhaq, A. Validation of a quantitative SPR assay for recombinant FVIII. 57
Machin, S.J. *see* Briggs, C.
McNeil, A.R. *see* Metz, J.
McQuaker, I.G. *see* Osborne, W.L.
Mahieu, S., Vertessen, F. & Van der Planken, M. Evaluation of ADVIA 120 CSF assay (Bayer®) *vs.* chamber counting of cerebrospinal fluid specimens. 195
Makino, S. *see* Kamezaki, K.
Maloisel, F. *see* Zimmer, J.
Marlton, P. *see* Tey, S.-K.
Marsden, K.A. *see* Jackson, S.L.
Martinelli, A. *see* Ho, W.K.
Martínez-López, J., Lahuerta, J.J., Salama, P., Ayala, R. & Bautista, J.M. The use of fluorescent molecular beacons in real time PCR of IgH gene rearrangements for quantitative evaluation of multiple myeloma. 31
Masauzi, N. *see* Tsutsumi, Y.
Maślanka, K. *see* Sikorska, A.
Mendek-Czajkowska, E. *see* Słomkowski, M.
Metz, J., McNeil, A.R. & Levin, M. The relationship between serum cobalamin concentration and mean red cell volume at varying concentrations of serum folate. 323
Mills, A. *see* Tey, S.-K.
Mirabet, V. *see* Solves, P.
Miura, T. *see* Tsutsumi, Y.
Mizuki, T. *see* Watanabe, A.
Mohanty, D. *see* Nadkarni, A.
Moore, G.W., Kamat, A.V., Gurney, D.A., O'Connor, O., Rangarajan, S., Carr, R. & Savidge, G.F. Alteration in the laboratory profile of a lupus anticoagulant in a patient with non-Hodgkin's lymphoma. 429
Morgan, G.J. *see* Rees-Unwin, K.S.
Morgenstern, G. *see* Giannoutsos, I.
Morris, R.J. *see* Giddings, J.C.
Mourits-Andersen, T. *see* Penninga, E.

Mukai, M. *see* Takenokuchi, M.
Muralitharan, S. *see* Pathare, A.
Murayama, T. *see* Takenokuchi, M.
Murphy, P.T. *see* Fay, M.
Murrin, R.J.A., Adjetey, V., Harrison, P. & Warwick, A. Acute promyelocytic leukaemia presenting as postpartum haemorrhage, 233
Mustafa, B. *see* Ismet, A.
Musteata, L.Z. *see* Musteata, V.Gh.
Musteata, V.Gh., Corcimaru, I.T., Iacovleva, I.A., Musteata, L.Z., Suharschii, I.S. & Antoci, L.T. Treatment options for primary splenic low-grade non-Hodgkin's lymphomas, 397

Nadkarni, A., Sakaguchi, T., Gorakshakar, A., Phanasgaonkar, S., Kiyama, R., Colah, R. & Mohanty, D. An interplay of alleviating mutations in the clinical phenotype of β-thalassaemia intermedia, 419
Nair, S.C. *see* Favaloro, E.J.
Nakamachi, Y. *see* Takenokuchi, M.
Nash, G.F. *see* Patel, H.B.
Nasir, F.A. *see* Patel, H.B.
Neumann, A. *see* Kimhi, O.
Nicolaides, K.H. *see* Al-Mufti, R.
Nielsen, O.J. *see* Penninga, E.
Noel, E. *see* Zimmer, J.
Noronha, J.F.A. *see* Grotto, H.Z.W.
North, K. *see* Favaloro, E.J.
Norton, A. *see* Leaver, S.

O'Connor, O. *see* Moore, G.W.
Obara, S. *see* Tsutsumi, Y.
Okuda, M. & Yamamoto, Y. Usefulness of synthetic phospholipid in measurement of activated partial thromboplastin time: a new preparation procedure to reduce batch difference, 215
Onur, O. *see* Ismet, A.
Osborne, W., Bhandari, S., Tait, R.C. & Franklin, I.M. Immediate haemostasis with recombinant factor VIIa for haemorrhage following Hickman line insertion in acute myeloid leukaemia, 229
Osborne, W.L., Holyoake, T.L., McQuaker, I.G. & Parker, A.N. Fatal peripheral neuropathy following FLA chemotherapy, 295
Özcebe, O.I. *see* Sayınalp, N.

Park, Y.I. *see* Hur, M.
Parker, A.N. *see* Osborne, W.L.
Passam, F.H., Tsirakis, G., Boula, A., Fragou, A., Consolas, I., Alegakis, A., Kyriakou, D.S. & Alexandrakis, M.G. Levels of soluble forms of ICAM and VCAM in patients with myelodysplastic syndromes and their prognostic significance, 391
Patel, H.B., Nasir, F.A., Nash, G.F., Scully, M.F. & Kakkar, A.K. Enhanced angiogenesis following allogenic blood transfusion, 129
Pathare, A., Kindi, S.A., Belushi, T.A., Bayoumi, R., Dennison, D. & Muralitharan, S. Heterozygous methylene tetrahydrofolate reductase mutation with mild hyperhomocysteinemia associated with deep vein thrombosis, 143
Penninga, E., Jensen, B.A., Hansen, P.B., Clausen, N.T., Mourits-Andersen, T., Nielsen, O.J. & Hasselbalch, H.C. Anagrelide treatment in 52 patients with chronic myeloproliferative diseases, 335
Pepio, M.A.E. *see* Fourcade, C.
Pérez-Ceballos, E., Rivera, J., Lozano, M.L., Candela, M.J., Corral, J., Guerrero, J.A. & Vicente, V. Evaluation of refrigerated platelet concentrates supplemented with low doses of second messenger effectors, 275
Persad, R. *see* Liu, C.Z.
Peterson, G.M. *see* Jackson, S.L.
Phanasgaonkar, S. *see* Nadkarni, A.
Pinheiro, V. *see* Brandelise, S.
Planelles, D. *see* Solves, P.
Pocock, M. *see* Bain, B.J.
Podstawka, U. *see* Słomkowski, M.
Punnonen, K. *see* Ervasti, M.

Qadi, A.A. *see* Bashawri, L.A.M.
Quintanilha, A. *see* Branca, R.

Radnay, J. *see* Kimhi, O.
Ralis, H.M. *see* Giddings, J.C.
Ramazan, U. *see* Ismet, A.
Rangarajan, S. *see* Moore, G.W.
Rees, D.C. *see* van Veen, J.J.
Rees-Unwin, K.S., Morgan, G.J. & Davies, F.E. Proteomics and the haematologist, 77
Reilly, J.T. *see* van Veen, J.J.
Remes, K. *see* Itälä, M.
Rezende, S.M. *see* Corrêa, M.F.B.
Richards, S.J. *see* van Veen, J.J.
Rivera, J. *see* Pérez-Ceballos, E.
Rocha, S. *see* Branca, R.
Roi, G.S. *see* Banfi, G.
Roig, R.J. *see* Solves, P.
Romppanen, J. *see* Ervasti, M.
Rybicki, L.A. *see* Latif, T.

Saigo, K. *see* Takenokuchi, M.
Sakaguchi, T. *see* Nadkarni, A.

Salama, P. *see* Martínez-López, J.
Sanchaisuriya, K. *see* Chunpanich, S.
Santos-Silva, A. *see* Branca, R.
Savidge, G. *see* McCormick, Á.N.
Savidge, G.F. *see* Moore, G.W.
Sayınalp, N., Çınar, H., Üner, A., Haznedaroğlu, I.C., Büyükaşık, Y., Göker, H., Aksu, S., Özcebe, O.I., Karakuş, S., Kirazlı, Ş. & Dündar, S.V. Plasma basic fibroblast growth factor and bone marrow fibrosis in clonal myeloproliferative disorders, 265
Schönhuber, H. *see* Banfi, G.
Scully, M.F. *see* Patel, H.B.
Sen, F. *see* Liu, C.Z.
Serjeant, B. *see* Brandelise, S.
Serjeant, G. *see* Brandelise, S.
Shapira, J. *see* Kimhi, O.
Shapiro, H. *see* Kimhi, O.
Shimada, T. *see* Watanabe, A.
Sikorska, A., Słomkowski, M., Maślanka, K., Konopka, L. & Górski, T. The use of vinca alkaloids in adult patients with refractory chronic idiopathic thrombocytopenia, 407
Sikorska, A. *see* Słomkowski, M.
Silva, M. *see* Igout, J.
Słomkowski, M., Kopeć-Szlęzak, J., Fabijańska-Mitek, J., Podstawka, U., Sikorska, A. & Mendek-Czajkowska, E. B cells CD19+ in patients with B-cell chronic lymphocytic leukaemia and autoimmune haemolytic anaemia, 385
Słomkowski, M. *see* Sikorska, A.
Soler, M.A. *see* Solves, P.
Solves, P., Planelles, D., Mirabet, V., Blasco, I., Carbonell-Uberos, F., Soler, M.A. & Roig, R.J. Utility of bag segment and cryovial samples for quality control and confirmatory HLA typing in umbilical cord blood banking, 413
Suharschii, I.S. *see* Musteata, V.Gh.
Susta, D. *see* Banfi, G.

Tait, R.C. *see* Osborne, W.
Takenokuchi, M., Yasuda, C., Takeuchi, K., Nakamachi, Y., Mukai, M., Kondo, S., Kumagai, S., Saigo, K., Murayama, T., Koizumi, T. & Tatsumi, E. Quantitative nested reverse transcriptase PCR *vs.* real-time PCR for measuring AML1/ETO (MTG8) transcripts, 107
Takeuchi, K. *see* Takenokuchi, M.
Tanaka, J. *see* Tsutsumi, Y.
Tandy, S. *see* McCaddon, A.
Tanosaki, S. *see* Watanabe, A.
Tatsumi, E. *see* Takenokuchi, M.
Tatsumi, N. *see* Timan, I.S.
Tawil, A. *see* Bain, B.J.
Tegg, E. *see* Jackson, S.L.
Tey, S.-K., Cobcroft, R., Grimmett, K., Marlton, P., Gill, D. & Mills, A. A simplified endogenous erythroid colony assay for the investigation of polycythaemia, 115
Thein, S.L. *see* Clark, B.E.
Thomas, A. *see* Bain, B.J.
Thompson, R.E. *see* Kickler, T.S.
Thuraisingham, R. *see* Leaver, S.
Timan, I.S., Tatsumi, N., Aulia, D. & Wangsasaputra, E. Comparison of haemoglobinometry by WHO Haemoglobin Color Scale and copper sulphate against haemiglobincyanide reference method, 253
Tsirakis, G. *see* Passam, F.H.
Tsutsumi, Y., Kanamori, H., Yamato, H., Ehira, N., Miura, T., Kawamura, T., Obara, S., Tanaka, J., Asaka, M., Imamura, M. & Masauzi, N. Effect of lansoprazole for an idiopathic thrombocytopenic purpura patient with *Helicobacter pylori* infection who did not respond to prednisolone treatment, 363

Üner, A. *see* Sayınalp, N.

Van der Planken, M. *see* Mahieu, S.
Vasse, M. *see* Igout, J.
van Veen, J.J., Reilly, J.T., Richards, S.J., Whitby, L., Goodfellow, K., Granger, V., Rees, D.C. & Barnett, D. Diagnosis of plasma cell leukaemia: findings of the UK NEQAS for Leucocyte Immunophenotyping scheme, 37
Vertessen, F. *see* Mahieu, S.
Vial, J.H. *see* Jackson, S.L.
Vicente, V. *see* Pérez-Ceballos, E.
Vieira, E. *see* Costa, E.
Virgo, P.F. *see* Lock, R.J.

Wangsasaputra, E. *see* Timan, I.S.
Warwick, A. *see* Murrin, R.J.A.
Watanabe, A., Inokuchi, K., Yamaguchi, H., Mizuki, T., Tanosaki, S., Shimada, T. & Dan, K. Near-triploidy and near-tetraploidy in hematological malignancies and mutation of the p53 gene, 25
Whitby, L. *see* van Veen, J.J.
Wilkins, R. & Janes, S. Aleukaemic leukaemia cutis: case report and review of the literature, 73
Willemont, L. *see* Igout, J.
Winfield, D.A. *see* Charles, K.S.
Witchlow, B. *see* Daniel, Y.
Wong, C. *see* Bain, B.J.
Woodcock, J.P. *see* Giddings, J.C.

Yamaguchi, H. *see* Watanabe, A.
Yamamoto, Y. *see* Okuda, M.

Yamato, H. *see* Tsutsumi, Y.
Yang, M. *see* Cui, W.
Yarkoni, S. *see* Kimhi, O.
Yasuda, C. *see* Takenokuchi, M.

Zafer, M. *see* Favaloro, E.J.
Zhang, Z. *see* Cui, W.
Zimmer, J., Andrès, E., Noel, E., Koumarianou, A., Blicklé, J.-F. & Maloisel, F. Current management of adult idiopathic thrombocytopenic purpura in practice: a cohort study of 201 patients from a single center, 137

Clin. Lab. Haem.
2004, **26**, 443–445

Subject Index to Volume 26

α-thalassaemia 2, 355

activated partial thromboplastin time, 215
acute leukaemia, 229
acute myeloid leukaemia, 73, 295
acute promyelocytic leukaemia, 101, 233
ADVIA 120 CSF assay, 195
alleviating mutations, 419
allogeneic, 129
all-trans retinoic acid, 233
Alzheimer's disease, 259
amiloride, 275
AML1/ETO (MTG8), 107
anaemia, 259
anaemia screening, 253
anagrelide, 335
anemia, 205, 379, 423
angiogenesis, 129
antibodies, 225
anticoagulation, 43
anti-penicillin antibody, 153
antiphospholipid antibodies, 429
aspirates, 403
atrial fibrillation, 43
atypical lymphocytes, 9
autoimmune, 291
autoimmune haemolytic anaemia, 385
autologous, 291
automated counter, 287
automated detection, 367
automated reporting, 21
automation, 347

band 3 deficiency, 297
Bantu haplotype, 15
basic fibroblast growth factor, 265
batch-to-batch, 215
B-cell neoplasms, 25
blood donors, 225, 253
blood film, 87
blood smear, 9
bone marrow, 403
bone marrow aspiration, 315
bone marrow biopsies, 201
bone marrow trephine biopsy, 315
Brazil, 15

cancer, 77
CD18, 327
CD63, 327
CD59, 95
CD11b, 177
CD22+ B cells, 385
CD19+ CD5+ B cells, 385
cefotetan, 153
cell adhesion molecules, 391
cell counting, 423
Cell-Dyn 4000, 9
cephazolin, 153
cerebrospinal fluid specimens, 195
chemotherapy, 397
Chlamydia pneumoniae, 147
chronic lymphocytic leukaemia-B, 385
chronic nonspherocytic haemolytic anaemia, 297
clinical agreement, 49
clinical studies, 43
coagulopathy, 229
cobalamin, 323
cold storage, 275
comparison, 201
complications, 243, 315
copper sulphate, 253
cord blood, 413
corticosteroids, 137
Coulter LH 750, 1
Coulter® GENS™, 367
cutaneous, 73
cyclosporine, 65
cytarabine, 295

danazol, 137
deletion 20q, 69
dermatomyositis, 147
developing countries, 243
diagnosis, 37, 115
diagnostic haematology, 87
differential count, 287
discrepancy, 287
DNA diagnostics, 159
doxycycline, 147
dyslipidemia, 347

efficacy of cell separation, 123
elliptocytosis, 69

© 2004 Blackwell Publishing Ltd

endogenous erythroid colonies, 115
endostatin, 129
Epstein–Barr virus, 351
erythroid precursors, 187
ESH4, 57
ESH8, 57
essential thrombocythemia, 335
Evans' syndrome, 291

factor VIIa, 229
Factor VIII, 57
FcγRIIIB antigens, 319
fetal hemoglobin, 187
fibrinolysis, 269
flow cytometry, 1, 95, 187
fludarabine, 295
foetal erythroblasts in maternal blood, 123
folate, 323
folate deficiency, 379
folic acid, 259
food fortification, 323
functional iron deficiency, 205

G-CSF, 359

haematological malignancy, 77
haematology analyser, 9
haematopoietic progenitors, 413
haemodynamics, 269
Haemoglobin Colour Scale, 253
haemoglobinometry, 253
haemoglobinopathies, 159
haemoglobinopathy screening, 21
haemolysis, 147
haemophilia, 243
haemorrhage, 229
Hb Hekinan, 355
Hb variants, 159
hepatitis B virus, 225
hepatitis C virus, 225
hereditary spherocytosis, 297
heterogeneity, 429
Hickman line, 229
homocysteine, 259
hyperdiploid, 25
hyperhomocysteinemia, 143
hypochromic red blood cells, 205

idiopathic, 211
idiopathic erythrocytosis, 115
idiopathic thrombocytopenic purpura, 137, 407
IgH gene, 31
IL-1β, 391
immune haemolysis, 153
immunophenotyping, 37, 101
immunosuppression, 351
immunosuppressive drugs, 137
India, 419
integrin, 177
international normalized ratio, 49
intravenous immunoglobulins, 137
iron status, 205
isoelectric focusing, 15

leucodepleted, 129
low-grade lymphoma of the spleen, 397
lupus anticoagulant, 429
lupus anticoagulant co-factor effect, 429
lymphocyte subset, 95
lymphocytes, 327, 367

macrocytosis, 323, 379
malaria, 367
management, 243
mass spectrometry, 77
methylene tetrahydrofolate reductase, 143
minimal residual disease, 107
molecular beacon, 31
monitor, 49
monocytes, 327, 367
monocytosis, 359
monosomy 7, 359
multiple myeloma, 31
myelodysplastic syndrome, 69, 265, 391
myelofibrosis, 265
myeloma, 403
myeloperoxidase, 101
myeloproliferative disorders, 265, 335

nested polymerase chain reaction, 107
neurofibromatosis 1, 341
neutrophil, 319
newborn screening, 15
non-Hodgkin's lymphoma, 291
nucleated RBCs, 1

p53, 25
paroxysmal nocturnal hemoglobinuria, 95
PCR-RFLP, 355
penicillin, 153
peripheral neuropathy, 295
PFA-100, 341

plasma cell leukaemia, 37
plasmid cDNA, 107
plasminogen activators, 269
platelet concentrate, 275
platelet count, 1
platelet function, 341
platelet indices, 347
platelet neutralisation procedure, 429
platelet volume, 347
PML protein, 101
point-of-care, 49
polycythaemia vera, 115, 335
polymerase chain reaction, 319
polymorphonuclear, 327
polymorphonuclear neutrophil, 177
postpartum haemorrhage, 233
post-transplant lymphoproliferative disorder, 351
pregnancy, 233
preparation, 215
prevalence, 225
primary haemostasis, 341
protein 4.1, 69
proteomics, 77
prothrombin time, 429
pseudobasophilia, 287
pseudoleukemia, 359
pyruvate kinase, 297

quality control, 37, 413
quantitative flow cytometry, 177

real time PCR, 31, 107
red cell lysis, 115
remission rate, 397
renal transplant, 351
reticulocyte parameters, 423
review, 243
rule-based system, 21

safe sedation, 201
sensitivity, 9
serology, 351
serum folate, 379
sICAM, 391
sickle, 159
sickle cell disease, 15
single density *vs.* triple density gradients, 123
sodium nitroprusside, 275
specificity, 9
splenectomy, 137, 211, 397
surface plasmon resonance, 57
survival, 397
sVCAM, 391
synthetic phospholipid, 215

T lymphocytes, 385
t(15;17)(q22;21), 101
tetraploid, 25
thalassaemia, 159
thalassaemia intermedia, 419
thalassemia, 187
thrombocytopenia, 147, 211
thrombophilia, 143
thromboplastin, 429
thrombosis, 269
ThromboSol, 275
thrombotic thrombocytopenic purpura, 65
transferrin receptor, 205
transplantation, 291
treatment, 65
trephine biopsies, 403
triploid, 25
two-dimensional separation, 77

vascular endothelial growth factor, 129
veins, 269
vinca alkaloids, 407
vitamin B_{12}, 259, 323
volume reduction, 413
voriconazole, 295
VWF, 341
VWF : Ag, 341
VWF : CB, 341

warfarin, 43, 49
WBC count, 1
von Willebrand factor, 341